EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	(("20020074402") or ("5504315") or ("6527179") or ("6408260") or ("6732931") or ("6964375")).PN.	US-PGPUB; USPAT	OR	OFF	2006/02/23 07:34
S2	0	("6732931").URPN.	USPAT	OR	ON	2006/02/22 14:26
S3	5	("20020074402" | "4488679" | "5504315" | "6059842" | "6527179").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/22 14:27
S4	0	("6964375").URPN.	USPAT	OR	ON	2006/02/22 14:40
S5	235	kawai-hiroaki.in.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/02/22 14:41
S6	114	kawai-hiroaki.in. and ((code barcode) with (reader reading scanner scanning))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/02/22 16:40
S7	885	(235/462.13.ccls. 235/462.01.ccls. 235/462.15.ccls. 235/462.18.ccls. 235/383.ccls. 235/376.ccls. 235/435.ccls. 235/439.ccls.) and @pd>"20031209"	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/22 16:42
S8	173	235/462.14.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/23 07:42
S9	432	235/462.25.ccls. not 235/462.14.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/23 07:59
S10	477	235/470.ccls. not (235/462.25.ccls. 235/462.14.ccls.)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/23 08:16
S11	1701	235/454.ccls. not (235/470.ccls. 235/462.25.ccls. 235/462.14.ccls.)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/23 08:17
S12	1383	(235/454.ccls. and (beam line)) not (235/470.ccls. 235/462.25.ccls. 235/462.14.ccls.)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/23 08:18

S13	641	(235/454.ccls. and ((beam line) same (operator user cashier clerk employee person individual))) not (235/470.ccls. 235/462.25.ccls. 235/462.14. ccls.)	US-PGPUB ; USPAT; USOCR	OR	ON	2006/02/23 08:54
S14	523	(scan scanned scanning read reading sens$3) with (beam line) with (frequent$2 effective$2) with (operator user cashier clerk employee person individual)	US-PGPUB ; USPAT; USOCR	OR	ON	2006/02/23 09:00
S15	47	(scan scanned scanning read reading sens$3) with (beam line) with (frequent$2 effective$2) with (operator user cashier clerk employee person individual) with (characteristic setting efficien$2 feature personal trait)	US-PGPUB ; USPAT; USOCR	OR	ON	2006/02/28 08:58
S16	79	(barcode code indicia symbol symbology symbologies tag label) with (scan scanned scanning read reading sens$3) with (beam line) with (frequent$2 effective$2 often most greatest highest) with (operator user cashier clerk employee person individual)	US-PGPUB ; USPAT; USOCR	OR	ON	2006/02/28 08:59
S17	5	(scan scanned scanning read reading sens$3) with (beam line) with (frequent$2 effective$2) with (operator user cashier clerk employee person individual) with (characteristic setting efficien$2 feature personal trait)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 09:39
S18	6	(barcode code indicia symbol symbology symbologies tag label) with (scan scanned scanning read reading sens$3) with (beam line) with (frequent$2 effective$2 often most greatest highest) with (operator user cashier clerk employee person individual)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 09:40

S19	4349	(barcode code indicia symbol symbology symbologies tag label) with (scan scanned scanning read reading sens$3) with (set setting adjust adjusted adjusting) with (parameter double ban speed beam line)	US-PGPUB ; USPAT; USOCR	OR	ON	2006/02/23 09:53
S20	29	(barcode code indicia symbol symbology symbologies tag label) with (scan scanned scanning read reading sens$3) with ((set setting adjust adjusted adjusting) near5 (parameter double ban speed) near5 (beam line))	US-PGPUB ; USPAT; USOCR	OR	ON	2006/02/28 09:08
S21	8	(barcode code indicia symbol symbology symbologies tag label) with (scan scanned scanning read reading sens$3) with ((set setting adjust adjusted adjusting) near5 (parameter double ban speed) near5 (beam line))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 10:02
S22	204	(barcode code indicia symbol symbology symbologies tag label) with (scan scanned scanning read reading sens$3) with (set setting adjust adjusted adjusting) with (parameter double ban speed) with (operator user cashier clerk employee person individual)	US-PGPUB ; USPAT; USOCR	OR	ON	2006/02/28 08:52
S23	28	(barcode code indicia symbol symbology symbologies tag label) with (scan scanned scanning read reading sens$3) with (set setting adjust adjusted adjusting) with (parameter double ban speed) with (operator user cashier clerk employee person individual)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 10:47

S24	25	(barcode code indicia symbol symbology symbologies tag label) with (scan scanned scanning read reading sens$3) with ((beam line) near5 (frequent$2 effective$2 often most greatest highest) near5 (determin$3 calculat$3 specify$3 specified count$3))	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/23 14:04
S25	2	(barcode code indicia symbol symbology symbologies tag label) with (scan scanned scanning read reading sens$3) with ((beam line) near5 (frequent$2 effective$2 often most greatest highest) near5 (determin$3 calculat$3 specify$3 specified count$3))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:28
S26	1056	(user operator individual person$2) near5 (preference setting) near5 (card (record$3 near3 (medium media)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/23 14:09
S27	829	(user operator individual person$2) near5 (preference setting) near5 card	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/23 14:09
S28	607	(user operator) near5 (preference setting) near5 card	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/23 14:09
S29	158	(user operator) near5 (preference setting) near5 card near5 (stor$3 sav$3 writ$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/28 09:09
S30	41	(user operator) near5 (preference setting) near5 card near5 (stor$3 sav$3 writ$4)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 15:06
S31	4	((barcode code indicia symbol symbology symbologies tag label) with (scan scanned scanning read reading sens$3) with (set setting adjust adjusted adjusting) with (parameter double ban speed) with (operator user cashier clerk employee person individual)).clm.	US-PGPUB	OR	ON	2006/02/28 08:53

S32	3	((scan scanned scanning read reading sens$3) with (beam line) with (frequent$2 effective$2) with (operator user cashier clerk employee person individual) with (characteristic setting efficien$2 feature personal trait)).clm.	US-PGPUB	OR	ON	2006/02/28 08:58
S33	6	((barcode code indicia symbol symbology symbologies tag label) with (scan scanned scanning read reading sens$3) with (beam line) with (frequent$2 effective$2 often most greatest highest) with (operator user cashier clerk employee person individual)).clm.	US-PGPUB	OR	ON	2006/02/28 08:59
S34	1	((barcode code indicia symbol symbology symbologies tag label) with (scan scanned scanning read reading sens$3) with ((set setting adjust adjusted adjusting) near5 (parameter double ban speed) near5 (beam line))).clm.	US-PGPUB	OR	ON	2006/02/28 09:09
S35	8	((user operator) near5 (preference setting) near5 card near5 (stor$3 sav$3 writ$4)).clm.	US-PGPUB	OR	ON	2006/02/28 09:10

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	19	("3847346" | "3852573" | "4360798" | "4387297" | "4418276" | "4496831" | "4760248" | "4792666" | "4800256" | "4933538" | "4973829" | "5115121" | "5124539" | "5132523" | "5151581" | "5192856" | "5235167" | "5340971" | "5414250").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/28 11:26
L8	10	("5608202").URPN.	USPAT	OR	ON	2006/02/28 11:33